

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 with (discovery or ((inquiry or inquir\$3) with (response or respond\$3))) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node)) with (power adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:21
L2	2	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 with (discovery or ((inquiry or inquir\$3) with (response or respond\$3))) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node)) with (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:22
L3	1	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1)) with ((low\$2 adj power) and (high\$3 adj power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:23
L4	1	((((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:23
L5	1	((((neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:24

EAST Search History

L6	3	((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:25
L7	0	((((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:25
L8	4	((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:26
S1	2	((("5854981") or ("20010041594")).PN.	US-PGPUB; USPAT	OR	OFF	2006/05/11 19:51
S2	4	(base adj2 station or bts or bs or access adj point or ap) with (bluetooth or blue adj tooth or shortrange or short adj range) with (handoff or hand\$3 adj off or handover or hand\$3 adj over) and neighbor adj list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 19:56
S3	3	S2 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 19:56
S4	0	S3 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 19:56

EAST Search History

S5	1	S2 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 19:56
S6	13	((base adj2 station or bts or bs or access adj point or ap) with (bluetooth or blue adj tooth or shortrange or short adj range)) and (handoff or hand\$3 adj off or handover or hand\$3 adj over) and neighbor adj list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:04
S7	9	S6 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 19:57
S8	14	((base adj2 station or bts or bs or access adj point or ap) with (bluetooth or blue adj tooth or shortrange or short adj range)) and neighbor adj list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:04
S9	1	S8 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:03
S10	20	"6430395"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:03
S11	57	((base adj2 station or bts or bs or access adj point or ap) and (bluetooth or blue adj tooth or shortrange or short adj range)) and (handoff or hand\$3 adj off or handover or hand\$3 adj over) and neighbor adj list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 12:43
S12	72	((base adj2 station or bts or bs or access adj point or ap) and (bluetooth or blue adj tooth or shortrange or short adj range)) and neighbor adj list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:13

EAST Search History

S13	44	S11 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:04
S14	44	S13 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:05
S15	19	S14 and (("near" and far) or (high and low))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:07
S16	25	S14 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:09
S17	15	S12 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:09
S18	1343	((base adj2 station or bts or bs or access adj point or ap) and (bluetooth or blue adj tooth or shortrange or short adj range)) and neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:13
S19	37	S18 and ((base adj2 station or bts or bs or access adj point or ap) and (bluetooth or blue adj tooth or shortrange or short adj range)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:13
S20	34	S19 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:14

EAST Search History

S21	20	S20 and hand\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:40
S22	0	S21 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:40
S23	14	S20 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 20:40
S24	60	((base adj2 station or bts or bs or access adj point or ap) and (bluetooth or blue adj tooth or shortrange or short adj range)) and (handoff or hand\$3 adj off or handover or hand\$3 adj over) and neighbor adj list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:58
S25	1	S24 and ((base adj2 station or bts or bs or access adj point or ap) with (inquiry or inquir\$3) with (response or respond\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 12:48
S26	2	((base adj2 station or bts or bs or access adj point or ap) with (inquiry or inquir\$3) with (response or respond\$3)) with neighbor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:46
S27	1	S26 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 12:48
S28	2	((base adj2 station or bts or bs or access adj point or ap) with (inquiry or inquir\$3) with neighbor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:46

EAST Search History

S29	35	((base adj2 station or bts or bs or access adj point or ap) with (inquiry or inquir\$3) with neighbor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:46
S30	28	((base adj2 station or bts or bs or access adj point or ap) with (inquiry or inquir\$3) with (response or respond\$3)) with neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:28
S31	26	S30 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:47
S32	26	S31 and (handoff or hand\$3 adj off or handover or hand\$3 adj over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:48
S33	0	S32 and (bluetooth or blue adj tooth or shortrange or short adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:48
S34	560	((base adj2 station or bts or bs or access adj point or ap) and (bluetooth or blue adj tooth or shortrange or short adj range)) and (handoff or hand\$3 adj off or handover or hand\$3 adj over) and neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:57
S35	2	S34 and ((base adj2 station or bts or bs or access adj point or ap) with (inquiry or inquir\$3) with (response or respond\$3)) with neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 13:59
S36	28	((base adj2 station or bts or bs or access adj point or ap or fixed) with (inquiry or inquir\$3) with (response or respond\$3)) with neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:25

EAST Search History

S37	2	S36 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:23
S38	35	(base adj2 station or bts or bs or access adj point or ap or fixed) with (discovery) with neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:25
S39	15	S38 and (bluetooth or blue adj tooth or shorrange or short adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:25
S40	14	S39 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:25
S41	1	((base adj2 station or bts or bs or access adj point or ap) with (inquiry or inquir\$3) with direct\$2) with neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:29
S42	1	((base adj2 station or bts or bs or access adj point or ap or fixed) with (inquiry or inquir\$3) with direct\$2) with neighbor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:29
S43	1	((base adj2 station or bts or bs or access adj point or ap or fixed) with (inquiry or inquir\$3) with direct\$2) with (active adj set or neighbor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:29
S44	1	((base adj2 station or bts or bs or access adj point or ap or fixed) with (inquiry or inquir\$3 or discovery) with direct\$2) with (active adj set or neighbor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 14:29

EAST Search History

S45	40	(bluetooth or blue adj tooth or shortrange or short adj range) and (handoff or hand\$3 adj off or handover or hand\$3 adj over) and neighbor\$3 and ((inquiry or inquir\$3) with (response or respond\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:22
S46	3	(bluetooth or blue adj tooth or shortrange or short adj range) and (handoff or hand\$3 adj off or handover or hand\$3 adj over) and (neighbor\$3 with (inquiry or inquir\$3) with (response or respond\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:00
S47	1	S46 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:00
S48	37	S45 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:02
S49	156	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 with (discovery or ((inquiry or inquir\$3) with (response or respond\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:29
S50	19	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 with (discovery or ((inquiry or inquir\$3) with (response or respond\$3))) with (base adj2 station or bts or bs or access adj point or ap or fixed or master))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:30
S51	52	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 with (discovery or ((inquiry or inquir\$3) with (response or respond\$3))) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:35
S52	16	S51 and (handoff or hand\$3 adj off or handover or hand\$3 adj over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:31

EAST Search History

S53	14	S52 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:32
S54	36	S51 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 15:32
S55	0	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 with (discovery or ((inquiry or inquir\$3) with (response or respond\$3))) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node)) with (power adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:21
S56	2	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 with (discovery or ((inquiry or inquir\$3) with (response or respond\$3))) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node)) with (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:22
S57	4	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range) with ((discovery or ((inquiry or inquir\$3) with (response or respond\$3))) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node)) with (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:37
S58	2	S57 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:37
S59	15	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node)) with (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:39

EAST Search History

S60	11	S59 not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:38
S61	31	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1)) with (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:45
S62	16	S61 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:11
S63	1	(bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1)) with ((low\$2 adj power) and (high\$3 adj power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:22
S64	3	((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1)) with power) and ((low\$2 adj power) and (high\$3 adj power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:48
S65	2	S64 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:47

EAST Search History

S66	3	((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:24
S67	3	(bluetooth or blue adj tooth or shortrange or short adj range) and ((neighbor\$3 or range or distance) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:49
S68	15	((neighbor\$3 or range or distance) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:52
S69	12	S68 not S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:50
S70	187	((discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:52
S71	119556	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:53

EAST Search History

S72	26	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:53
S73	23	S72 not (S61 or S68)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:53
S74	44	S70 and (bluetooth or blue adj tooth or shortrange or short adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:59
S75	27	S74 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:00
S76	1	("5638423").PN.	USPAT	OR	OFF	2007/02/21 14:11
S77	4	((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:26
S78	3	S77 not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:20
S79	0	((((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:25

EAST Search History

S80	1	(((bluetooth or blue adj tooth or shortrange or short adj range) and (neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:23
S81	1	(((neighbor\$3 or range or distance or proximity) with (discovery or ((inquiry or inquir\$3)) with (base adj2 station or bts or bs or access adj point or ap or fixed or master or node or device\$1 or terminal\$1 or unit\$1 or station\$1 or ms)) with power) and ((low\$2 adj power) and (high\$3 adj power))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:24